



LED-STRIPS RGB CV 22W

High wattage RGB-strip for extra powerful light effects and high density of diodes. The combination of high wattage and high diode density gives bright colours that stands out.

Light technic	
Product ID	B_14028
Beam angle	120
Lamp type	LED not exchangeable
Lamp power per meter	22 W/m
Number of nodes per meter	120 LED's
Colour of light	RGB
Luminous flux per meter	650 lm/m
Rated life time L70/B50 at 25 °C	50000 Hours
Lamp power per foot	6.6 W
Number of nodes per foot	36
Technical data	
Cutting point, every	50 mm
Protection class	II
Type of control gear	LED operating device voltage-controlled
Degree of protection (IP)	IP20
Lamp voltage	24 - 24 V
Max. system power	110 W
Power factor	0.95
Input	
Voltage type	DC
Installation	
Length of particular segments	50 mm
Height/depth	3.5 mm
Length	5000 mm
Width	12 mm
Mounting method	Surface mounting/recessed mounting
Model	Strip
Conductor cross section	0.35 mm ²
Connection type	Solder
Self-adhesive	Yes
Number of poles	4
With protective cover	No



07.12.2019

Subject to changes and printing errors

Lowest bending radius	20 mm
With connection set	No
With end piece	No
Type of wiring	Ending
logistics data	
Imported by	The Light Group
Brand	SLC
General data	
D-pack length	550 mm
GTIN	7070938056861
Pallet length	1200 mm
M-pack length	260 mm
F-pack length	260 mm