



SLC DALI DT8 TW CONTROLLER 24V CV 2X5A 12-36V

Tunable White PWM Dimmer. 1 address 2 channels. Adjust color temperature and light level.



Technical data	
Product ID	S23010
DALI version	DALI2
DALI Type	DT8
Number of DALI-address	1
DALI DT8 Color Management Protocol	Tc
Operating temperature	-20°C ~ +45°C °C
Expected lifetime (Ta 25°C)	110000 Hours
Expected lifetime (Ta 45°C)	50000 Hours
Protection class	II
Housing	Plastic housing
Programmable	No
Degree of protection (IP)	IP20
Number of colour channels	2
Operating method	DALI
Dimming method	Pulse Width Modulation (PWM)
Dimming interface	DALI DT8
Input	
Electrical connection (Input)	L`N screw connection
Strain relief	Yes
Input voltage	12 - 36 V
Output	
Max total output power at 24VDC	240 W
Output type	Constant voltage (CV)
Output power per channel at 24VDC	120 W
Output power per channel	[null,180] W
Max. output current	10 mA
Max total output power	360 W
Output current per channel	[5,5] A
Tunable White	Yes
Number of LED Output Channels	2
Output voltage	12 - 36 V

21.02.2020

Subject to changes and printing errors

Max output current	10 A
Installation	
Length	145 mm
Height	16 mm
Width	46 mm
Model	Static
Built-in	Yes
Surface-mounted	No
Suitable for outdoor use	No
DIN rail mounting	No
logistics data	
Brand	SLC
Imported by	The Light Group
General data	
GTIN	7070938057042