## SLC LED STRIP MAINS 120 1MCL 16,5 MM 8W 850LM 3000K CRI80 IP65

CE

Our SLC 230V LED strips can be connected directly to 230V and do not need a driver. See our time-saving and effective solution for your next project. The SLC 230V 8W LED strip is dimmable with most phase-cut dimmers on the market. \*Delivered in custom lengths. When ordering, specify the desired length, 50m max length.



Light technic	
Product ID	Sm17101
Colour rendering index (CRI/Ra)	80
Number of LED's per meter	80
Beam angle	120
Colour rendering index CRI	80-89
Lamp type	LED not exchangeable
Lamp power per meter	8 W/m
Number of nodes per meter	80 LED's
Colour temperature	3000.0 - 3000.0 K
Colour of light	White
Luminous flux per meter	850 lm/m
Luminaire efficacy	106.3 lm/W
Technical data	
CE	Yes
Max length per connection:	50 meter m
Operating temperature	-25°C ~ +35°C °C
Type of control gear	Not required
Suitable for dimmer	Yes
Degree of protection (IP)	IP65
Lamp voltage	220.0 - 240.0 V
Max. system power	400 W
Power factor	97
Input	
Voltage type	AC
Installation	
Length of particular segments	200 mm
Height/depth	7 mm
Length	1000 mm
Width	16.5 mm
Mounting method	Surface mounting/recessed mounting
Model	Strip



26.04.2024 Subject to changes and printing errors

Number of poles	2
With protective cover	Yes
With connection set	Yes
With end piece	Yes
Type of wiring	Ending